

Supplemental Digital Content. The Supplemental Digital Content was not copyedited by *Archives of Pathology & Laboratory Medicine*.

Intensity and Extent of Claudin-18 staining in Distal Esophagus/Gastroesophageal Junction and Stomach samples:

	Distal Esophagus/Gastroesophageal Junction				Stomach			
	Intensity	n (%)	Extent	n (%)	Intensity	n (%)	Extent	n (%)
Non-Dysplastic Intestinal metaplasia	0	3 (7.5%)	0%	3 (7.5%)	0	42 (53.2%)	0%	42 (53.2%)
	1+	1 (2.5%)	1-24%	4 (10.0%)	1+	3 (3.8%)	1-24%	9 (11.4%)
	2+	16 (40.0%)	25-49%	4 (10.0%)	2+	18 (22.8%)	25-49%	4 (5.1%)
	3+	20 (50.0%)	50-74%	10 (25.0%)	3+	16 (20.3%)	50-74%	13 (16.5%)
			75-100%	19 (47.5%)			75-100%	11 (13.9%)
Dysplasia (Low-Grade + High-Grade)	0	13 (24.1%)	0%	13 (24.1%)	0	17 (39.5%)	0%	17 (39.5%)
	1+	0 (0.0%)	1-24%	8 (14.8%)	1+	5 (11.6%)	1-24%	12 (27.9%)
	2+	13 (24.1%)	25-49%	3 (5.6%)	2+	12 (27.9%)	25-49%	2 (4.7%)
	3+	28 (51.9%)	50-74%	12 (22.2%)	3+	9 (20.9%)	50-74%	6 (14.0%)
			75-100%	18 (33.3%)			75-100%	6 (14.0%)
Adenocarcinoma	0	5 (25.0%)	0%	5 (25.0%)	0	8 (32.0%)	0%	8 (32.0%)
	1+	0 (0.0%)	1-24%	1 (5.0%)	1+	1 (4.0%)	1-24%	3 (12.0%)
	2+	4 (20.0%)	25-49%	4 (20.0%)	2+	5 (20.0%)	25-49%	3 (12.0%)
	3+	11 (55.0%)	50-74%	3 (15.0%)	3+	11 (44.0%)	50-74%	3 (12.0%)
			75-100%	7 (35.0%)			75-100%	8 (32.0%)
Well-Differentiated Neuroendocrine Tumor	0	N/A	0%	N/A	0	8 (20.0%)	0%	8 (20.0%)
	1+	N/A	1-24%	N/A	1+	2 (5.0%)	1-24%	2 (5.0%)

	2+	N/A	25-49%	N/A	2+	13 (32.5%)	25-49%	6 (15.0%)
	3+	N/A	50-74%	N/A	3+	17 (42.5%)	50-74%	2 (5.0%)
			75-100%	N/A			75-100%	22 (55.0%)

N/A - not applicable