

## Supplemental Appendix S1. Methotrexate Intolerance Severity Score (MISS)

### Patient Questionnaire (For Children 10 yr or Older)

	No Complaints	Complaints (Score 1–3 Points)		
	0	Mild 1	Moderate 2	Severe 3
<b>STOMACHACHE</b>				
• I have a stomachache after taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• I have a stomachache several hours to one day before taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• I have a stomachache when thinking of MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>NAUSEA</b>				
• I am nauseous after taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• I am nauseous several hours to one day before taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• I am nauseous when thinking of MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>VOMITING</b>				
• I vomit after taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• I vomit hours to one day before taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>BEHAVIORAL COMPLAINTS</b>				
• I am restless when taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• I cry when taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• I am irritable when taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• I refuse to take MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MTX, methotrexate

## Supplemental Appendix S2. Methotrexate Intolerance Severity Score (MISS)

### Caregiver Questionnaire (For Children <10 yr)

	No Complaints	Complaints (Score 1–3 Points)		
	0	Mild 1	Moderate 2	Severe 3
<b>STOMACHACHE</b>				
• My child has a stomachache after taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• My child has a stomachache several hours to one day before taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• My child has a stomachache when thinking of MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>NAUSEA</b>				
• My child is nauseous after taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• My child is nauseous several hours to one day before taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• My child is nauseous when thinking of MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>VOMITING</b>				
• My child vomits after taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• My child vomits hours to one day before taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>BEHAVIORAL COMPLAINTS</b>				
• My child is restless when taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• My child cries when taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• My child is irritable when taking MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
• My child refuses to take MTX	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MTX, methotrexate